

# IMPORTANT INFORMATION ON FIRE PROTECTION



**Please read our information on these topics carefully.  
The requirements must be observed when planning your trade show appearance.  
It is therefore essential that you also pass them on to your stand constructor.**

To ensure that your trade fair appearance at the HIGH END or IPS can be successfully organized from the very beginning, a number of rules need to be observed, particularly in the area of fire protection.

The most important guidelines are listed below in keywords for you or your stand builder. Please refer to our booking portal „Exhibition Configurator“ under the heading FAQ for further information.

- As a general rule, the use of materials that are easily ignited, form burning droplets, release toxic gases or produce large amounts of smoke, is not permitted at exhibition stands.
- Decorative materials such as banners, flags, roll-up banners, etc. must be classified as at least flame-resistant Class B1.  
**Exhibition Configurator > FAQ > “Factsheet fire protection”**
- A general building-control appraisal certificate from a recognised testing, certification and monitoring association regarding the building material class of the decorative materials used must be kept available.  
**Exhibition Configurator > FAQ > “Certified Testing Laboratories for Material Fire Testing”**
- The appraisal fire testing certificate must be submitted in German.
- At all times you are required to guarantee visual contact between the internal space of your booth, your sound cabin or room to the corridor.
- Please ensure that the marked routes remain unobstructed throughout the installation and assembly period.  
**Exhibition Configurator > FAQ > “Factsheet Fire Protection Set Up Time”**
- Emergency exits are marked and must be kept free at all times.
- Escape routes must remain clear at all times. You are not permitted to display any decorative material such as banners, flags, roll-up banners, decorations or items of furniture outside your room/stand.
- Sprinkler systems must be certified by the technical inspection centre VdS and be mounted with metal cable ties or Spannfix bungee cords that are flame-resistant in accordance.  
**Exhibition Configurator > FAQ > “Factsheet fire protection”**
- Fire loads (packaging material, wooden crates, pallets etc.) are not permitted to be stored at the stand or in the room.  
You are permitted to keep a daily supply of advertising material at your stand/in your room.  
**Storage services: Spedition Schenker in the delivery zone behind the halls: +49 89 324 112 5**

**Link Exhibition Configurator > <https://ticket.highendsociety.de/messe-konfigurator>**